

GAS BOILING PAN - INDIRECT HEATING - 50 LT - WITH AUTOMATIC CONDENSED STEAM OUTLET

Project:
Rev.:
Zone:
Location:



CODE
CR1356169

MODEL
Q70NP/GI650S

SERIE
QUEEN 7

GENERAL FEATURES

- 15/10 worktop thickness
- Stainless steel, Scotch-Brite finish
- Sturdy and powerful with compact design
- Depth of 700 mm means it will fit the most common configurations
- Catalogue offers more than 300 standard models
- Worktop, base cabinet, base cabinet with doors and oven versions
- Twin-piece knobs prevent the infiltration of dirt and are watertight
- Gas ranges having burners with various configurations and power ratings: 3,5 kW - 5,7 kW e 7 kW
- Wide range of accessories

The front bar is a new design feature that increases the kitchen's visual importance and offers clear benefits: it is a comfortable place for the chef to lean on; it means you will remain at a safe distance from the worktop and therefore protects from accidentally knocking against both items lying on the worktop and the knobs.

TECHNICAL DETAILS

GAS

GAS BOILING PAN - INDIRECT HEATING - 50 LT - WITH AUTOMATIC CONDENSED STEAM OUTLET

- Manual water fill.
- Water drained with 2' valve.
- AISI 316 stainless steel container bottom.
- No water in the interspace indicator light.
- safety thermostat to interrupt heating until restore of sufficient water level.
- 2 AISI 304 steel burners on bottom of interspace.

**GAS BOILING PAN - INDIRECT HEATING - 50
LT - WITH AUTOMATIC CONDENSED STEAM
OUTLET**



CODE
CR1356169

MODEL
Q70NP/GI650S

SERIE
QUEEN 7

TECHNICAL INFORMATION

SPECIFICATIONS	DATA
CODE	CR1356169
DEFINITION	Q70NP/GI650 S PEN. GAS M60 IND.C/VAL 50L
MODEL	Q70NP/GI650 S
COMMERCIAL LINE	QUEEN
SUPPLY	MISTA
WIDTH	600 MM
DEPTH	700 MM
HEIGHT	870 MM
NET WEIGHT	88,000
VOLUME	0,365 M3
PACKAGING LENGTH	640,000
PACKAGING WIDTH	870,000
PACKAGING HEIGHT	1100,000
PACKAGING VOLUME	0,700
PACKAGING GROSS WEIGHT	99,000
POWER SUPPLY VOLTAGE STANDARD	220-240V 1N
FREQUENCY	50 Hz
ELECTRIC POWER	0,275 KW
GAS POWER (G30/30 MBAR)	10,50 KW
GAS POWER (G25/25 MBAR)	10,00 KW
IPX PROTECTION	IPX4
CERTIFIED MODEL	Q70NP/GI650
CERTIFICATION NUMBER	CE-0085BT0055
CERTIFICATION BODY	0085
CAPACITY	50 litri
NUMBER OF MODULES	1/1 MODULO

**GAS BOILING PAN - INDIRECT HEATING - 50
LT - WITH AUTOMATIC CONDENSED STEAM
OUTLET**



CODE
CR1356169

MODEL
Q70NP/GI650S

SERIE
QUEEN 7

ACCESSORIESES

CODE	MODEL	DESCRIPTION
MA97347000	XP9-C5	BOILING PAN BASKET 50LT XP9-C5
MA97348000	XP9-CV5	BOILING PAN BASKET 50LT XP9-CV5
CR0599730	7C8	BASKET FOR PASTA 1 SECTION FOR BOILING PAN - 80 Lt. HOLE Ø 3 MM
CR0599740	7CV8	BASKET FOR VEGETABLE 80LT XP7CV8
MA97349000	XP9-I5	DRAIN FUNNEL X 50LT XP9-I5
CR0592790	ZA80	FRONT PLINTH
CR0982789	ZL90	SIDE PLINTH SERIE 900
MA97432000	NXR	SET OF WHEELS NXR
CR0592869	CR0592869	4 PIEDI X INSTALL.SU ZOCCOLO DI CEMENTO
CR1015339	QPT	N. 4 PIEDINI IN ACCIAIO INOX PER INSTALLAZIONE SU PIANI
CR0592879	CR0592879	KIT ANTI RIBALTAMENTO 2 PIEDI X N900
CR0592399	NXTVT1	KIT PANNELLI X BASE TECN.1 FRONTE NXTVT1
CR0592409	NXTVT2	KIT PANNELLI X BASE TECN.2 FRONTI NXTVT2
CR1018879	Q90FTDX	FIANCO TERMINALE DESTRO QUEEN
CR1018889	Q90FTSX	FIANCO TERMINALE SINISTRO QUEEN
CR0980019	9CLAT	TUBULAR HANDRAIL LATERALE SERIE 900
BN418031900211	9PRD	PIANO LATERALE RIBALTABILE DESTRO
BN418031900460	9PFD	PIANO LATERALE FISSO DESTRO
BN418031900221	9PRS	PIANO LATERALE RIBALTABILE SINISTRO
BN418031900470	9PFS	PIANO LATERALE FISSO SINISTRO