

WOK 1 BURNER GAS RANGE 14KW ON OPEN CUPBOARD

Project:
Rev.:
Zone:
Location:



CODE
CR1015869

MODEL
Q90PCV/WG614

SERIE
QUEEN 9

GENERAL FEATURES

- AISI 304 stainless-steel bases and worktops, Scotch-Brite finish
- Depth of 900 mm for high power and performance
- Catalogue offers more than 350 standard models
- Worktop, base cabinet, base cabinet with doors and oven versions
- 20/10 worktop thickness
- Twin-piece knobs prevent infiltration of dirt and have an IPX5 water ingress protection rating
- Gas ranges having burners with various configurations and power ratings: 3.5 kW - 5.7 kW, 7 kW and 10 kW. Double-ring burners for 7 and 10 kW models
- Wide range of accessories

The knobs offer optimum grip and help the chef to have the setting controls right under his eyes. Special attention has also been paid to the knob bezel that has been expertly designed to avoid penetration of liquids and/or dirt. Thanks to the IPX5 water jet ingress protection rating, awarded after passing specific tests, knobs and knob bezels can be washed at the end of the working day without affecting performance or safety.



TECHNICAL DETAILS

WOK 1 BURNER GAS RANGE 14KW ON OPEN CUPBOARD

- Outer casing and feet made of AISI 304 steel.
- Worktops with a 20/10 thickness with 550x720 mm recess or 950x720 mm.
- Right rear drain with a 22 mm diameter, configured for earth connection.
- With grease collection draw (approx. 2/3 lt capacity).

WOK 1 BURNER GAS RANGE 14KW ON OPEN CUPBOARD



CODE
CR1015869

MODEL
Q90PCV/WG614

SERIE
QUEEN 9

TECHNICAL INFORMATION

| SPECIFICATIONS | DATA |
|-------------------------|-----------------------------------|
| CODE | CR1015869 |
| DEFINITION | Q90PCV/WG614 WOK GAS M60 14KW A/G |
| MODEL | Q90PCV/WG614 |
| COMMERCIAL LINE | QUEEN |
| SUPPLY | GAS |
| WIDTH | 600 MM |
| DEPTH | 900 MM |
| HEIGHT | 870 MM |
| NET WEIGHT | 77,600 |
| VOLUME | 0,470 M3 |
| PACKAGING LENGTH | 660,000 |
| PACKAGING WIDTH | 1020,000 |
| PACKAGING HEIGHT | 1150,000 |
| PACKAGING VOLUME | 0,774 |
| PACKAGING GROSS WEIGHT | 90,000 |
| GAS POWER (G30/30 MBAR) | 14,00 KW |
| GAS POWER (G25/25 MBAR) | 13,30 KW |
| CERTIFIED MODEL | Q90PCV/WG6 |
| CERTIFICATION NUMBER | CE-0085CR0044 |
| CERTIFICATION BODY | 0085 |

WOK 1 BURNER GAS RANGE 14KW ON OPEN CUPBOARD

| CODE | MODEL | SERIE |
|-----------|--------------|---------|
| CR1015869 | Q90PCV/WG614 | QUEEN 9 |

ACCESSORIESES

| CODE | MODEL | DESCRIPTION |
|----------------|-----------|---|
| CR1018829 | QP13 | Base door L 300 |
| CR1018859 | QKC21 | KIT DRAWERS GN2/1 H150 |
| CR1015359 | QRG21 | SET OF TRY SLIDES GN 2/1 |
| CR0592790 | ZA80 | FRONT PLINTH |
| CR0982789 | ZL90 | SIDE PLINTH SERIE 900 |
| MA97432000 | NXR | SET OF WHEELS NXR |
| MA97433000 | NXRI | SET OF WHEELS INOX NXRI |
| CR1015369 | QCH20 | DIRECTABLE WATER FLUE |
| CR0592869 | CR0592869 | 4 PIEDI X INSTALL.SU ZOCCOLO DI CEMENTO |
| CR1015339 | QPT | N. 4 PIEDINI IN ACCIAIO INOX PER INSTALLAZIONE SU PIANI |
| CR0592879 | CR0592879 | KIT ANTI RIBALTAMENTO 2 PIEDI X N900 |
| CR0592399 | NXTVT1 | KIT PANNELLI X BASE TECN.1 FRONTE NXTVT1 |
| CR0592409 | NXTVT2 | KIT PANNELLI X BASE TECN.2 FRONTI NXTVT2 |
| CR1018879 | Q90FTDX | FIANCO TERMINALE DESTRO QUEEN |
| CR1018889 | Q90FTSX | FIANCO TERMINALE SINISTRO QUEEN |
| CR0980009 | CANT | TUBULAR HANDRAIL FRONTALE (AL METRO LINEARE) |
| CR0980019 | 9CLAT | TUBULAR HANDRAIL LATERALE SERIE 900 |
| BN418031900211 | 9PRD | PIANO LATERALE RIBALTABILE DESTRO |
| BN418031900460 | 9PFD | PIANO LATERALE FISSO DESTRO |
| BN418031900221 | 9PRS | PIANO LATERALE RIBALTABILE SINISTRO |
| BN418031900470 | 9PFS | PIANO LATERALE FISSO SINISTRO |
| BN8031920110 | | |
| CR1018809 | Q90KRV | FAN ASSISTED HEATED CUPBOARD GN 2/1 |

**WOK 1 BURNER GAS RANGE 14KW ON
OPEN CUPBOARD**


CODE
CR1015869

MODEL
Q90PCV/WG614

SERIE
QUEEN 9

QUEEN

**PRODUCT'S
RANGE PLUS**



10 or 14 kW enamelled cast iron ring burner, removable to facilitate cleaning.



Hob with recess as standard and liquid drain in rear righthand corner.



Full-width drip pan located in the storage area.



Thanks to the IPX5 water jet ingress protection rating, awarded after passing specific tests, knobs and knob bezels can be washed at the end of the working day without affecting performance or safety.



The front bar is a comfortable place for the chef to lean on; it means you will remain at a safe distance from the worktop and therefore protects from accidentally knocking against both items lying on the worktop and the knobs.


WOK 1 BURNER GAS RANGE 14KW ON OPEN CUPBOARD

CODE
CR1015869

MODEL
Q90PCV/WG614

SERIE
QUEEN 9

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm - MESURES EN cm
MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda

| | |
|--|---|
| <p>E Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico</p> | <p>G Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligaçao gás EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK)</p> |
| <p>S Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água EN 10226-1 R1</p> | <p>H20 Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de agua - Wateraansluiting - Junção alimentação água</p> |
| <p>S1 Scarico vasca - Wannenabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba</p> | <p>A1 = Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno A2 = Fredda - Kalt - Cold - Froid - Fria - Koude - Frio</p> |
| <p>S2 Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de depresión - Onderdrukklep - Válvula de depressão</p> | |
| <p>S3 Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de agua intersticios - Afvoer water tussenruimte - Descarga de água na marmitta com Sistema de aquecimento indirecto</p> | |
| <p>S4 Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno</p> | <p>L Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaakraan - Torneira de nível</p> |