

JIPA JUMP 151 F (110I)



Technical specification:

| | |
|-----------------------|------------------------|
| Capacity: | 110 liters – DIN 18857 |
| Capacity GN: | 3 x GN 1/1 |
| Bottom pan dimension: | 1071 x 580 mm |
| Depth: | 220 mm |
| Cooking surface: | 63 dm ² |
| W x D x H: | 1651 x 850 x 1050 mm |
| Power-connected load: | 36,9 kW |
| Voltage: | 3 N AC 400 V |
| Fuse: | 3 x 50 A |
| Weight: | 417 kg |
| Water inlet: | R3/4 |
| Water outlet: | DN - 50 |

Technology:

| | |
|--------------------------|--|
| Boiling | Automatic basket lifting |
| Gentle boiling | 12" colour touch screen with intuitive control |
| Deep frying | Memory of 800 programs with 12 steps |
| Frying | Language mutation |
| Braising | Possibility to create own programs |
| Low temperature cooking | Actual values visible on screen |
| Grilling | Sensor temperature control |
| Confit | Lock screen |
| Sous – vide | Error list on display |
| Overnight cooking | Technical and service information |
| Temperature: 30°C–250°C. | |


Construction:

- Base frame - AISI 304, minimum thickness 3 mm
- Frame cover - AISI 304
- Cooking pan AISI 316, both sides welded
- Heating system JPX 17 equal and stabile heating
- Preheating to 180 °C till 3 minutes
- Robust double insulated cover with automatic electric lifting
- Steam exhaust through the chimney in cover
- Central water supply, drainage and power connections from wall or floor
- Connection kit for connection more units together
- Service access from the front and top sides
- Certificates CE, TÜV-SÜD

Standard Equipment:

- Automatic water filling system
- Liquid level gauge
- 2 speeds of tilting
- Multipoint core probe
- Integrated drain in bottom with electronic closing/opening system
- Automatic basket lifting – possibility of cooking in baskets with closed cover
- Electronic cover with safety control
- Safety sensor for basket lifting arm
- Integrated retractable shower
- Integrated socket 230 V /16 A
- USB port– backup and data transfer
- HACCP data
- Internet connection





- ① Drain DN 50
- ② Water connection
- ③ Electro connection
- ④ Ethernet socket RJ 45
- ⑤ Ground

Recommended accessories:

- Spatula big
- Spatula for omelettes
- Basket extension arm
- Cooking and frying baskets
- Sieve
- Spaetzle sieve



- Oil filtration trolley



- Battery – powered lifting trolley



- Grate for NT 1/1

